

## UNITED STATES DEPARTMENT OF COMMERCE

1.0

## **Patent and Trademark Office**

Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

QUARLES & BRADY LLP 411 E. WISCONSIN AVENUE  SHERRER, C	APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR			ATTORNEY DOCKET NO.
IM52/0117  QUARLES & BRADY LLP 411 E. WISCONSIN AVENUE SUITE 2040 MILWAUKEE WI 53202-4497  ART UNIT PAPER NUMBER 1761	09/448,578	11/23/99	9 HUIGE		N	661005.90012
411 E. WISCONSIN AVENUE SUITE 2040 MILWAUKEE WI 53202-4497 ART UNIT PAPER NUMBE 1761			IM52/0117	$\neg$		EXAMINER
SUITE 2040 ART UNIT PAPER NUMBE MILWAUKEE WI 53202-4497 1761	QUARLES & 411 E. WIS	BRADY LLP CONSIN AVEN	II IC:		SHERRER,C	
1761	SUITE 2040	SOUGHIN HAEL	AOC.		ART UNIT	PAPER NUMBER
DATE MAILED:			197		1761	8
01/17/01					DATE MAILED:	

Please find below and/or attached an Office communication concerning this application or proceeding.

**Commissioner of Patents and Trademarks** 

## Office Action Summary

Application No.

Applicant(s)

09/448,578

Examiner

Curtis E. Sherrer

Hulge et al
Group Art Unit



X Responsive to communication(s) filed on Oct 24, 2000	
☐ This action is FINAL.	
Since this application is in condition for allowance except for formal matters, prosecution as to the merits is clos in accordance with the practice under Ex parte Quay/1935 C.D. 11; 453 O.G. 213.	ed
A shortened statutory period for response to this action is set to expire3month(s), or thirty days, whichever is longer, from the mailing date of this communication. Failure to respond within the period for response will cause the application to become abandoned. (35 U.S.C. § 133). Extensions of time may be obtained under the provisions of 37 CFR 1.136(a).	
Disposition of Claim	,
	oplicat
Of the above, claim(s) 7 and 8 is/are withdrawn from consideration	deration
Claim(s)is/are allowed.	
⊠ Claim(s) 1-6is/are rejected.	
☐ Claim(s)is/are objected to	<b>)</b> .
☐ Claims are subject to restriction or election requi	rement.
Application Papers	
☐ See the attached Notice of Draftsperson's Patent Drawing Review, PTO-948.	
☐ The drawing(s) filed on is/are objected to by the Examiner.	
☐ The proposed grawing correction, filed on is ☐ approved ☐ disapproved.	
☐ The specification is objected to by the Examiner.	
☐ The oath or declaration is objected to by the Examiner.	ž.
Priority under 35 U.S.C. § 119	
Acknowledgement is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d).	
☐ All ☐Some* None of the CERTIFIED copies of the priority documents have been ☐ received.	
☐ received in Application No. (Series Code/Serial Number)	
received in this national stage application from the International Bureau (PCT Rule 17.2(a)).	
*Certified copies not received:	
☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).	
Attachment(s)	
X Notice of References Cited, PTO-892	
☐ Interview Summary, PTO-413	
☐ Notice of Draftsperson's Patent Drawing Review, PTO-948	
☐ Notice of Informal Patent Application, PTO-152	
SEE OFFICE ACTION ON THE FOLLOWING PAGES	

Serial Number: 09/448,578

Art Unit: 1761

Part III DETAILED ACTION

Election/Restriction

1. Claims 7 and 8 are withdrawn from further consideration pursuant to 37 CFR 1.142(b)

as being drawn to a nonelected products, there being no allowable generic or linking claim.

Election was made without traverse in Paper No. 6.

**Drawings** 

2. This application has been filed with informal drawings which are acceptable for

examination purposes only. Formal drawings will be required when the application is allowed.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the

basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

4. Claims 1 and 2 are rejected under 35 U.S.C. 102(b) as being anticipated by Dean et al.

(U.S. Pat. No. 4,978,616).

Serial Number: 09/448,578

Art Unit: 1761

5. Dean et al. teach a continuous bioreactor whereby yeast is propagated by being led

through a membrane oxygenator, that can be made of silicone (col. 15, lines 5-23). Fig. 4 shows

one of the preferred apparatus configurations.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness

rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that

the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner

in which the invention was made.

Claims 3-6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dean et al.

(U.S. Pat. No. 4,978,616) in view of Coutts (U.S. Pat. No. 6,149,949).

8. Dean et al. teach that cited above but does not teach the use of the oxygenated yeast in the

production of beer. Coutts teaches the addition of "oxygenated yeast cells" to a beer fermentation

tank (col. 4, lines 47-55).

9. Because Coutts is silent as to the addition of oxygen directly to fermentor, it is assumed

that he does not. Nevertheless, it is notoriously well known in the brewing art to add oxygen in

varying amounts to wort to aid in its fermentation and therefore it would have been obvious to

those of ordinary skill in the art to add some amount of oxygen to fermentor for it art recognized

benefits.

7.

Serial Number: 09/448,578

Art Unit: 1761

Conclusion

10. No claim is allowed.

11. Any inquiry concerning this communication or earlier communications from the examiner

should be directed to Curtis Sherrer whose telephone number is (703) 308-3847. The examiner

can normally be reached on Tuesday through Friday from 6:30 to 4:30. The fax phone number

for this Group is (703)-305-3602.

12. Any inquiry of a general nature or relating to the status of this application should be

directed to the Group receptionist whose telephone number is (703) 308-0661.

Curtis E. Sherrer

Primary Examiner

January 10, 2001